

## **Grade 8**

For Math Grade 8, a one-credit course, instruction should focus on

## Grade 8 (continued)

in two different ways. They apply the Pythagorean Theorem to find distances between points on the coordinate plane, to find lengths, and to analyze polygons. Students complete their work on volume by solving problems involving cones, cylinders, and spheres.

The content of this document is centered on the mathematics domains of **Counting and Cardinality** (Grade K), **Operations and Algebraic Thinking**; **Numbers and Operations in Base Ten** (Grades K-5); **Numbers and Operations—Fractions** (Grades 3-5); **Measurement and Data** (Grades K-5); **Ratios and Proportional Relationships** (Grades 6-7); **the Number System, Expressions & Equations, Geometry, Statistics & Probability** (Grades 6-8); **Functions** (Grade 8), and the high school conceptual categories of **Number and Quantity, Algebra, Functions, Modeling, Geometry, and Statistics & Probability**. Instruction in these domains and conceptual categories should be designed to

## Grade 8

### The Number System (NS)

**Know that there are numbers that are not rational, and approximate them by rational numbers**

8.NS.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.
8.NS.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g.,

## Grade 8

### Analyze and solve linear equations and pairs of simultaneous linear equations

- |        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8.EE.7 | <p>Solve linear equations in one variable.</p> <ol style="list-style-type: none"><li>Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form <math>x = a</math>, <math>a = a</math>, or <math>a = b</math> results (where <math>a</math> and <math>b</math> are different numbers).</li><li>Solve linear equations and inequalities with rational number coefficients, including those whose solutions require expanding expressions using the distributive property and collecting like terms.</li></ol> |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

8.EE.8

## Grade 8

8.F.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.
-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Geometry (G)

#### Understand congruence and similarity using physical models, transparencies, or geometry software

8.G.1	Verify experimentally the properties of rotations, reflections, and translations a. Lines are taken to lines, and line segments to line segments of the same length. b. Angles are taken to angles of the same measure. c. Parallel lines are taken to parallel lines.
8.G.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.
8.G.3	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.
8.G.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.
8.G.5	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. <i>For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.</i>

#### Understand and apply the Pythagorean Theorem

8.G.6	Explain a proof of the Pythagorean Theorem and its converse.
8.G.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.
8.G.8	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.

#### Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres

8.G.9	Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.
-------	--------------------------------------------------------------------------------------------------------------------------------

### Statistics and Probability (SP)

#### Investigate patterns of association in bivariate data

8.SP.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as c
--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

## Grade 8

8.SP.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.
8.SP.3	Use the equation of a linear model to solve problems in the context of bivariate measurement

